

JET-KOTE™ DIGITAL INKJET PRINT RECEPTIVE PAPER AND FILM PRODUCTS TECHNICAL DATA SHEET

PRODUCT NUMBER

CP-GK9-801B / M-987

PRODUCT NAME

Jet-Kote 8 mil IJ Tag

TYPE

Matte white coated IJ polyolefin tag

DESCRIPTION

8 mil C1S Ink Jet top-coated matte, white polyolefin tag, designed to be compatible with most aqueous Ink Jet pigment and dye-based inks as well as other conventional print methods. Excellent printing characteristics as well as durability for label and tag applications

PRINT COMPATIBILITY

- Aqueous pigment inkjet
- Aqueous dye inkjet
- Flexographic
- Dry Toner**
- Thermal Transfer
- HP Indigo

** Testing recommended

FACESTOCK

8 mil matte white inkjet receptive film

	<u>Value</u>	<u>Units</u>
Caliper:	8.0	mils
Basis Weight:	189.9	gsm
Brightness:	91.1	%

CHEMICAL RESISTANCE***

- Water
- Isopropyl Alcohol – 100%
- Heptane
- Methanol
- MEK
- Ethyl Acetate
- Hand Sanitizers

*** Hand rub with towel/finger of the saturated surface

COMPATIBLE END-USES

- Horticulture Tags
- Logistic and Transportation Tags
- Industrial/Chemical Tags
- Healthcare/Wristbands
- Safety Tags
- Outdoor Tags
- Tradeshow Name Badges

SHELF LIFE

One year under standard storage and humidity conditions. For maximum product longevity, store out of direct sunlight and away from any fumes

PRODUCT DISCLAIMER

Due to the variety and evolving technologies of OEMs, print engines, press capabilities and inks, all material constructions are sold with the understanding that the purchaser has independently tested and determined the suitability of each product for the application for which it is purchased. The seller disclaims any implied warranty of fitness of a product for a particular purpose. All materials should be tested thoroughly by the purchaser under end-use conditions to ensure they meet the requirements of a specific application.

Made In the USA under an ISO 9001 Quality Management System
© 2022 GENERAL DATA COMPANY, INC. ALL RIGHTS RESERVED

GENERAL DATA – COATED PRODUCTS DIVISION | 800-733-5252 x2374 | WWW.GENERAL-DATA.COM/COATING