Xerox° WorkCentre° 3655 Black-and-white Multifunction Printer Stay one step ahead.

The Xerox® WorkCentre® 3655 helps you stay competitive by doing more — for less. Its powerful multifunction capabilities are powered by Xerox® ConnectKey® technology, simplifying complex tasks and bringing your work group a new level of productivity.



More time for the work that matters most.

The Xerox® WorkCentre® 3655 is an affordable black-and-white multifunction printer complemented by powerful copy, scan and fax capabilities.

- Print speeds of up to 47 letter help you keep up with deadlines
- Automatic two-sided printing makes it easy to create professional documents while saving you time and money
- Meet printing demands with a monthly duty cycle of up to 150,000 prints*
- Superb print quality with resolution of up to 1200 x 1200 dpi
- Printing flexibility with paper sizes from 3 x 5 in. to 8.5 x 14 in. and printing on cardstock, envelopes and more
- ENERGY STAR® qualified

A better way of working.

The Xerox® WorkCentre® 3655 multifunction printer adapts to the way you work — on the go, virtually and through the cloud — so you can focus on your job and not the technology.

- Simplify complex paper-driven tasks and drive down costs
- Scan files directly into Microsoft® SharePoint® or Windows® 7 folders
- Add documents to Cloud repositories such as Dropbox

Your office is wherever you are.

Stay seamlessly connected to the tools that help you do business no matter where you are.

- Comprehensive mobile printing support with Xerox® PrintBack, Apple® AirPrint™, Xerox® Mobile Print (Optional), Xerox® Mobile Print Cloud (Optional)
- Remote Control Panel lets you operate the user interface from anywhere
- Wi-Fi option with superior wireless security

Comprehensive security.

The Xerox® WorkCentre® 3655 multifunction printer safeguards all your sensitive data.

- 256-bit AES FIPS 140-2 standard compliance
- PDF and hard drive encryption
- Integrated McAfee® and Cisco® technology help protect the multifunction printer from outside threats

A message from General Data

We're excited to offer the Xerox® WorkCentre® 3655 black-and-white Multifunction Printer from Xerox. The Xerox multifunction printer portfolio just keeps getting better. The Xerox® WorkCentre® 3655 brings powerful Xerox® ConnectKey® technology to a new, low price point. With features that make it a great fit for government, healthcare and education users, it's a flexible, powerful office solution.

If you're interested in a color equivalent ask us about the new Xerox® WorkCentre® 6655 with the same technology in a color version.

We look forward to the opportunity to discuss how the WorkCentre 3655 can help you get more done — for less.



Keep your costs under control.

User Permissions let you limit printing, and to restrict access to print features by user, group, time of day, or by application. For example, select a rule that makes all Microsoft® Outlook® emails automatically print in blackand-white and in duplex (two-sided) mode.



As your Xerox Authorized Channel Partner, let us show you how Xerox® printing products set new standards for performance and value.



Specifications for the Xerox® WorkCentre® 3655 Multifunction Printer

ConnectKey®

The Xerox® WorkCentre® 3655 Multifunction Printer is built on Xerox® ConnectKey® technology.

Speed Up to 47 ppm letter / Up to 45 ppm A4 Duty Cycle 10 to 150,000 pages / month ¹ Hard Diver / Processor* vol 1001000 pages / month ¹ Connectivity 1010011000Base T Ethernet, High-Speed USB 20, Optional Wi-Fi (with Xerox** betworking Adapter) Connectivity 1010011000Base T Ethernet, High-Speed USB 20, Optional Wi-Fi (with Xerox** betworking Adapter) Copy and Print ** Opp; Up to 600 x 800 x	Device Specifications		Xerox® WorkCentre® 3655/S	Xerox® WorkCentre® 3655/X	
Hard Drive / Processor / Memory Minimum 250 GB / 1 GHz Duak-core / 2 GB Connectivity 10/100/1000Base-T Ethemet, High-Speed USB 2.0, Optional Wi-Fi (with Xerox® Wireless Networking Adapter) Copy and Print-Copy and Print-Copy and Print-Copy to fook x600 dpi; Print-Up to 1200 x 1200 dpi First-print-out Time (as fist as) Copy: Up to 600 x 600 dpi; Print-Up to 1200 x 1200 dpi First-print-out Time (as fist as) Copy: As fist as 12 seconds, Print-As fast as 8 seconds Page Description Languages Adobe® PostScript® 3™, PDF, PCL® 5 / PCL 6, XML Paper Specification (XPS®) Print Features Print From USB, Earth Smart Driver Settings, Store and Recall Driver Settings, Bi-directional Status, Smart Duplex, Automatic Two-sided, Booklet Printing, Proof Print, N-up, Print Around Mobile Printing Apple® All-Print™, Xerox® Mobile Print (Optional), Xerox® Mobile Print Cloud (Optional), Xerox® PrintBack, Mopria™ certified Scan Standard Postinations: Scan to Mailbox, Scan to USB, Scan to Email, Scan to Network, File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Dage PDF / XPS / TIFF, Encypted / Password Protected PDF, Linearized PDF / PDF/A Software Packages: Connectivey® for SharePoint®, Connectikey® for DocuShare®, Connectikey® Share to Cloud, Xerox® Scan to PC Desktop® Professional, other solutions available through various Xerox Authors Email. Cisco® TrustSec: Integration Network Authoritication, SSL, SNMPv3, Audit Log, Access Controls, User Pemissions Paper Input Paper Input Paper Input Variable Standard Poptional	Speed		Up to 47 ppm letter / Up to 45 ppm A4		
Connectivity 10/100/1000Base=T Ethernet, High-Speed USB 2.0, Optional Wi-Fi (with Xerox* Wireless Networking Adapter)	Duty Cycle		Up to 150,000 pages / month ¹		
Controller Features Unlified Address Book, Remote Control Panel, Online Support (accessed from the user interface and print driver), Configuration Cloning Copy and Print copy and Print Copy and Print Evolutions (Sort Sort Sort Sort Sort Sort Sort Sort	Hard Drive / Processor / Memory		Minimum 250 GB / 1 GHz Dual-core / 2 GB		
Copy and Print Copy and Print Besolution Copy: Up to 600 x 600 dpt; Print: Up to 1200 x 1200 dpi First-print-out Time (as fast as) Copy: As fast as 12 seconds; Print: As fast as 8 seconds Page Description Languages Adobe® PostScript® 3", PDF, PCL® 5c / PCL 6, XML Paper Specification (XPS®) Print Features Print from USB, Earth Smart Driver Settings, Store and Recall Driver Settings, Bl-directional Status, Smart Duplex, Automatic Two-sided, Booklet Printing, Proof Print, N-up, Print Around Mobile Printing Apple® AirPrint® , Xerox® Mobile Print (Optional), Xerox® Mobile Print Cloud (Optional), Xerox® PrintBack, Mopria® certified Scan Standard Optional Destinations: Scan to Mallbox, Scan to USB, Scan to Emall, Scan to Network, File Formats: PDF, PDF/A, XPS, JPEG, TIFF, Convenience Features: Scan to Home, Single Touch Scans, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Interacted PDF / PDF/A Fax Internet Fax, Server Fax Embedded faxe of Loud, Xerox® Scan to PC Destatop® Professional, other solutions available through various Xerox Alliance Partners Security Standard McAfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwite, 256 bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 1540B), Secure Pinns, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Integration, Network Authentication, SSI, SNMPv3, Audit Log, Access Controls, User Permissions Paper Input Standard Xerox® Standard Accounting (Copy, Pr	Connectivity		10/100/1000Base-T Ethernet, High-Speed USB 2.0, Optional Wi-Fi (with Xerox® Wireless Networking Adapter)		
Copy and Print Resolution	Controller Features		Unified Address Book, Remote Control Panel, Online Support (accessed from the user interface and print driver), Configuration Cloning		
Page Description Larguages Adobe® PostScript® 3™, PDF, PCL® 5c / PCL 6, XML Paper Specification (XPS®)			Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 1200 dpi		
Print Features	First-print-out Time (as fast as)		Copy: As fast as 12 seconds; Print: As fast as 8 seconds		
Print Around Print Around Apple® AirPrint™, Xerox® Mobile Print (Optional), Xerox® Mobile Print Cloud (Optional), Xerox® PrintBack, Mopria™ certified	Page Description Languages		Adobe® PostScript® 3™, PDF, PCL® 5c / PCL 6, XML Paper Specification (XPS®)		
Scan Standard Standard Destinations: Scan to Mallbox, Scan to USB, Scan to Email, Scan to Network, File Formats: PDF, PDF/A, XPS, JPEG, TIFF: Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearized PDF / PDF/A Software Packages: ConnectKey® for SharePoint®, ConnectKey® for DocuShare®, ConnectKey® Share to Cloud, Xerox® Scan to PC Desktop® Professional, other solutions available through various Xerox Alliance Partners Fax Internet Fax, Server Fax Embedded Fax², LAN Fax, Internet Fax, Server Fax Security Standard McAfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Pint, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions Optional Accounting Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement Optional Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners Paper Input Standard Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 139.7 x 139.7 mm to 216 x 356 mm Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Total Capacity (Std. / max) 700 / 2,350 sheets Paper Output Standard 250 sheets, automatic two-sided	Print Features				
Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearized PDF / PDF/A Software Packages: ConnectKey® for SharePoint®, ConnectKey® for DocuShare®, ConnectKey® Share to Cloud, Xerox® Scan to PC Desktop® Professional, other solutions available through various Xerox Alliance Partners Fax Internet Fax, Server Fax Embedded Fax³, LAN Fax, Internet Fax, Server Fax Security Standard McAfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions Optional McAfee Integrity Control, Xerox Secure Access Unified ID System®, Smart Card Kit (CAC/PIV, NET) Accounting Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners Paper Input Standard Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 5.5 x 8.5 in. to 8.5 x 14 in. / 139.7 x 139.7 x 139.7 mm to 216 x 356 mm Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Total Capacity (Std. / max.) 700 / 2,350 sheets Paper Output Standard Standard 250 sheets, automatic two-sided	Mobile Printing		Apple® AirPrint™, Xerox® Mobile Print (Optional), Xerox® Mobile Print Cloud (Optional), Xerox® PrintBack, Mopria™ certified		
rax Internet Fax, Server Fax Embedded Fax², LAN Fax, Internet Fax, Server Fax Security Standard Acfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwrite. 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions Accounting Standard Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Embement Paper Input Standard Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm Paper Input Standard Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 3.x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm Tray 1: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 739.7 x 210 mm to 216 x 356 mm Total Capacity (Std. / max) 700 / 2,350 sheets Paper Output Standard 250 sheets, automatic two-sided					
Standard McAfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions Optional McAfee Integrity Control, Xerox Secure Access Unified ID System®, Smart Card Kit (CAC/PIV, .NET) Accounting Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners Paper Input Standard Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm Tray 1: 550 sheets; Custom sizes: 3.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Total Capacity (Std. / max.) 700 / 2,350 sheets Paper Output Standard Standard 250 sheets, automatic two-sided					
Secure Print, Secure Fax, Secure Email, Cisco® TrustSec Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions McAfee Integrity Control, Xerox Secure Access Unified ID System®, Smart Card Kit (CAC/PIV, NET) Accounting Standard Verox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement Optional Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners Paper Input Standard Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 139.7 x 139.7 mm to 216 x 356 mm Bypass Tray: 150 sheets; Custom sizes: 3.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Tray 1: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Total Capacity (Std. / max.) 700 / 2,350 sheets 250 sheets, automatic two-sided	Fax		Internet Fax, Server Fax	Embedded Fax², LAN Fax, Internet Fax, Server Fax	
Accounting Standard Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement Coptional Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners Paper Input Standard Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 139.7 x 139.7 mm to 216 x 356 mm Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Tray 1: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Total Capacity (Std. / max.) 700 / 2,350 sheets Paper Output Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners Bypass Tray: 150 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 219.7 mm to 216 x 356 mm Total Capacity (Std. / max.) 700 / 2,350 sheets Paper Output Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners Bypass Tray: 150 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 219.7 mm to 216 x 356 mm Total Capacity (Std. / max.) 700 / 2,350 sheets 250 sheets, automatic two-sided	Security Standard		McAfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions		
Paper Input Optional Paper Input Optional Paper Input Optional Standard Optional Paper Input Optional Paper Input Standard Optional Option		Optional	McAfee Integrity Control, Xerox Secure Access Unified ID System®, Smart Card Kit (CAC/PIV, .NET)		
Paper Input Standard Duplex Automatic Document Feeder: 60 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 139.7 x 139.7 mm to 216 x 356 mm Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm Tray 1: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Optional Total Capacity (Std. / max.) 700 / 2,350 sheets Paper Output Standard 250 sheets, automatic two-sided	Accounting Standard		Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement		
Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm Tray 1: 550 sheets; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Total Capacity (Std. / max.) Paper Output Standard Standard Standard Standard Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm Total Capacity (Std. / max.) 700 / 2,350 sheets 250 sheets, automatic two-sided		Optional	Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners		
Total Capacity (Std. / max.) 700 / 2,350 sheets Paper Output Standard 250 sheets, automatic two-sided	Paper Input	Standard	Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm		
Paper Output Standard 250 sheets, automatic two-sided	Optional		Up to 3 Additional Trays: 550 sheets each; Custom sizes: 5.5 x 8.27 in. to 8.5 x 14 in. / 139.7 x 210 mm to 216 x 356 mm		
	Total Capacity (Std. / max.)		700 / 2,350 sheets		
Finishing NA Offline Convenience Stapler: 20-sheet, single position	Paper Output	tput Standard 250 sheets, automatic two-sided			
	Finishing		NA	Offline Convenience Stapler: 20-sheet, single position	
Warranty One-year on-site warranty, earn free service coverage with Xerox eConcierge®, Xerox Total Satisfaction Guarantee	Warranty		One-year on-site warranty, earn free service coverage with Xerox eConcierge®, Xerox Total Satisfaction Guarantee		

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Requires analog phone line



For more information, contact us, your Xerox Authorized Channel Partner, 1-844-643-1129 or visit: www.general-data.com





1-844-643-1129

General Data Company Inc 4354 Ferguson Drive Cincinnati, Ohio 45245

www.general-data.com

Products and Services

It doesn't matter what industry you're in - all businesses have four things in common: they all need to work smarter, reduce costs, increase productivity, and better serve their customers.

At General Data, our mission is to provide the best-in-class products and services, backed up by exceptional customer service, that produce maximum return on investment for our customers.

Products

- Barcode Labels & Tags
- Thermal, Laser & Inkjet Printers
- Barcode Scanners
- Mobile Computing Devices
- Mobile Workstations
- Software
- Thermal Transfer Ribbons
- Toner, Ink & Printer Supplies
- Histology Equipment
- Histology Reagents & Supplies

Services

- Custom Barcode Labels
- Barcode Scanning & Data Collection
- · Labeling & Identifcation Systems
- Enterprise & Field Mobility
- Wireless Network Infrastructure
- Custom Application Development
- Printer Repair Service
- Printer Supplies Replenishment
- Managed Print Choices

Partners and Brands

General Data is a certified premier partner and integrator with the leading manufacturers and brands in labeling, barcoding, printing, scanning, mobility and RFID, including:





























